

www.Need4Speed.at

Faszination Geschwindigkeit hat einen Namen



Bosch Einspritzdüsen - Datenblätter

Motorsport Incentives & Special Event

Agentur Need4Speed – Ihr Ansprechpartner für Incentives & Special Events im Bereich Motorsport.

Bosch Einspritzdüsen - Datenblätter

Part Number	Flow		Rating @		.42 BSFC - Est. HP Duty Cycle		.47 BSFC - Est. HP Duty Cycle		.52 BSFC - Est. HP Duty Cycle		.57 BSFC - Est. HP Duty Cycle		Impedance	Application
	lbs/hr	cc/min	PSI	BARS	80%	95%	80%	95%	80%	95%	80%	95%		
0-280-150-001	25.2	264.9	43.5	3.00	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	-	MB 3.5 l, Saab 1.7 l
0-280-150-002	25.2	264.9	43.5	3.00	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	-	-
0-280-150-003	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	-
0-280-150-007	25.2	264.9	43.5	3.00	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	Low	-
0-280-150-009	25.2	264.9	43.5	3.00	48.0	57.0	42.9	50.9	38.8	46.0	35.4	42.0	Low	Porsche 914 1.7 l
0-280-150-015	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	-
0-280-150-024	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	Low	M B, Volvo
0-280-150-026	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	M B, Volvo
0-280-150-035	30.5	320.6	29	2.00	58.1	69.0	51.9	61.6	46.9	55.7	42.8	50.8	Low	Jaguar
0-280-150-036	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	Low	M B, Mercury Outboard
0-280-150-041	45.7	480.3	43.5	3.00	87.0	103	77.8	92.4	70.3	83.5	64.1	76.2	Low	M B, Cadillac

0-280-150-043	36.15	379.9	43.5	3.00	68.9	81.8	61.5	73.1	55.6	66.0	50.7	60.3	-	BMW
0-280-150-100	17.6	185.0	43.5	3.00	33.5	39.8	30.0	35.6	27.1	32.2	24.7	29.3	-	-
0-280-150-105	18.1	190.2	43.5	3.00	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	Alfa 2.5 l, 3.0 l, Jaguar XJS, Porsche
0-280-150-114	18.1	190.2	-	-	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	-
0-280-150-116	18.1	190.2	-	-	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	-
0-280-150-121	16.95	178.1	-	-	32.3	38.3	28.9	34.3	26.1	31.0	23.8	28.3	-	Alfa 2.0 l, Fiat 2.0 l
0-280-150-125	18.2	191.3	-	-	34.7	41.2	31.0	36.8	28.0	33.3	25.5	30.3	-	Renault
0-280-150-151	23.2	243.8	29	2.00	44.2	52.5	39.5	46.9	35.7	42.4	32.6	38.7	-	BMW
0-280-150-151	29.0	304.8	43.5	3.00	55.2	65.6	49.4	58.6	44.6	53.0	40.7	48.3	-	Volvo
0-280-150-152	22.5	236.5	-	-	42.9	50.9	38.3	45.5	34.6	41.1	31.6	37.5	-	Alfa Turbo, BMW 2.8 l, 3.2 l
0-280-150-157	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	Jaguar 3.6 l, 4.2 l
0-280-150-200	28.6	300.6	43.5	3.00	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	-	BMW, Peugeot
0-280-150-201	22.5	236.5	43.5	3.00	42.9	50.9	38.3	45.5	34.6	41.1	31.6	37.5	-	BMW 2.3 l, 3.2 l, 3.5 l
0-280-150-203	17.6	185.0	-	-	33.5	39.8	30.0	35.6	27.1	32.2	24.7	29.3	-	-
0-280-150-204	16.1	169.2	36.25	2.50	30.7	36.4	27.4	32.5	24.8	29.4	22.6	26.8	-	Volvo 2.1 l
0-280-150-205	16.2	170.3	36.25	2.50	30.9	36.6	27.6	32.7	24.9	29.6	22.7	27.0	-	MB

0-280-150-206	16.1	169.2	36.25	2.50	30.7	36.4	27.4	32.5	24.8	29.4	22.6	26.8	-	VW 1.9 l, 2.1 l
0-280-150-207	10.3	108.3	36.25	2.50	19.6	23.3	17.5	20.8	15.8	18.8	14.5	17.2	-	-
0-280-150-208	12.65	133.0	36.25	2.50	24.1	28.6	21.5	25.6	19.5	23.1	17.8	21.1	-	BMW 323
0-280-150-208	13.7	144.0	39.15	2.70	26.1	31.0	23.3	27.7	21.1	25.0	19.2	22.8	-	Renault 1.4 l
0-280-150-209	16.1	169.2	36.25	2.50	30.7	36.4	27.4	32.5	24.8	29.4	22.6	26.8	Low	Rover
0-280-150-209	16.75	176.0	43.5	3.00	31.9	37.9	28.5	33.9	25.8	30.6	23.5	27.9	-	Volvo 2.3 l
0-280-150-210	12.65	133.0	36.25	2.50	24.1	28.6	21.5	25.6	19.5	23.1	17.8	21.1	-	BMW Motorcycle
0-280-150-211	13.9	146.1	43.5	3.00	26.5	31.4	23.7	28.1	21.4	25.4	19.5	23.2	-	BMW 1.8 l, Renault 2.2 l
0-280-150-213	33.0	346.8	-	-	62.9	74.6	56.2	66.7	50.8	60.3	46.3	55.0	-	Porsche
0-280-150-214	17.9	188.1	43.5	3.00	34.1	40.5	30.5	36.2	27.5	32.7	25.1	29.8	-	-
0-280-150-215	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	-
0-280-150-216	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	-
0-280-150-217	16.1	169.2	36.25	2.50	30.7	36.4	27.4	32.5	24.8	29.4	22.6	26.8	-	Buick 3.8 l V6
0-280-150-218	29.8	313.2	45	3.10	56.8	67.4	50.7	60.2	45.8	54.4	41.8	49.7	High	Buick GN
0-280-150-219	16.1	169.2	36.25	2.50	30.7	36.4	27.4	32.5	24.8	29.4	22.6	26.8	-	Ford 2.0 l
0-280-150-220	14.1	148.2	43.5	3.00	26.9	31.9	24.0	28.5	21.7	25.8	19.8	23.5	-	Buick 3.0 l V6

0-280-150-223	21.5	226.0	36	2.48	41.0	48.6	36.6	43.5	33.1	39.3	30.2	35.8	High	Vette 5.7 l
0-280-150-239	21.5	226.0	36	2.48	41.0	48.6	36.6	43.5	33.1	39.3	30.2	35.8	High	Vette 5.7 l
0-280-150-335	28.6	300.6	43.5	3.00	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	-	Volvo
0-280-150-355	37.0	388.9	-	-	70.5	83.7	63.0	74.8	56.9	67.6	51.9	61.7	-	Volvo
0-280-150-357	28.6	300.6	43.5	3.00	54.5	64.7	48.7	57.8	44.0	52.3	40.1	47.7	Low	Volvo
0-280-150-400	41.6	437.2	43.5	3.00	79.2	94.1	70.8	84.1	64.0	76.0	58.4	69.3	Low	Ford 5.0 l
0-280-150-401	41.6	437.2	43.5	3.00	79.2	94.1	70.8	84.1	64.0	76.0	58.4	69.3	-	-
0-280-150-402	32.15	337.9	43.5	3.00	61.2	72.7	54.7	65.0	49.5	58.7	45.1	53.6	Low	Ford 3.8 l
0-280-150-403	47.9	503.4	43.5	3.00	91.2	108	81.5	96.8	73.7	87.5	67.2	79.8	Low	Ford 5.0 l HO
0-280-150-415	18.1	190.2	50.75	3.50	34.5	40.9	30.8	36.6	27.8	33.1	25.4	30.2	-	-
0-280-150-422	25.1	263.8	39.15	2.70	47.8	56.8	42.7	50.7	38.6	45.9	35.2	41.8	-	-
0-280-150-440	23.8	250.1	50.75	3.50	45.3	53.8	40.5	48.1	36.6	43.5	33.4	39.7	-	-
0-280-150-614	18.0	189.2	43.5	3.00	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	-	Renault
0-280-150-702	18.0	189.2	43.5	3.00	34.3	40.7	30.6	36.4	27.7	32.9	25.3	30.0	-	Alfa 3.0 l
0-280-150-703	14.2	149.2	43.5	3.00	27.0	32.1	24.2	28.7	21.8	25.9	19.9	23.7	-	Rover 1.4 l
0-280-150-704	16.2	170.3	43.5	3.00	30.9	36.6	27.6	32.7	24.9	29.6	22.7	27.0	-	-

0-280-150-706	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	-
0-280-150-712	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	Saab 2.0 l Turbo
0-280-150-715	14.2	149.2	43.5	3.00	27.0	32.1	24.2	28.7	21.8	25.9	19.9	23.7	-	BMW 1.8 l, 2.5 l, 5.0 l V12
0-280-150-716	12.75	134.0	43.5	3.00	24.3	28.8	21.7	25.8	19.6	23.3	17.9	21.3	-	BMW 2.7 l
0-280-150-718	19.0	199.7	32	2.21	36.2	43.0	32.3	38.4	29.2	34.7	26.7	31.7	High	Ford/Trucks 5.0 l
0-280-150-725	16.4	172.4	36.25	2.50	31.2	37.1	27.9	33.1	25.2	30.0	23.0	27.3	-	GM 2.0 l, Volvo 2.3 l
0-280-150-727	14.0	147.1	33	2.28	26.7	31.7	23.8	28.3	21.5	25.6	19.6	23.3	High	Ford/Trucks 5.0 l, 4.9 l
0-280-150-728	24.0	252.2	43	2.96	45.7	54.3	40.9	48.5	36.9	43.8	33.7	40.0	High	Ford 7.5 l Truck
0-280-150-734	19.3	202.8	36.25	2.50	36.8	43.7	32.9	39.0	29.7	35.3	27.1	32.2	-	Peugeot 1.9 l, 2.2 l, 2.85 l V6, 740 8 Valve
0-280-150-744	20.4	214.4	36.25	2.50	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	GM 2.0 l
0-280-150-756	31.0	325.8	43.5	3.00	59.0	70.1	52.8	62.7	47.7	56.6	43.5	51.7	High	GM 4.3l turbo
0-280-150-756	32.0	336.3	45	3.10	61.0	72.4	54.5	64.7	49.2	58.5	44.9	53.3	High	GM 4.3 l turbo
0-280-150-759	21.8	229.1	39.15	2.70	41.5	49.3	37.1	44.1	33.5	39.8	30.6	36.3	High	Ford 460 Truck
0-280-150-762	20.4	214.4	43.5	3.00	38.9	46.1	34.7	41.2	31.4	37.3	28.6	34.0	-	Volvo
0-280-150-775	18.9	198.6	47.9	3.30	36.0	42.8	32.2	38.2	29.1	34.5	26.5	31.5	-	-
0-280-150-802	25.8	271.2	36.25	2.50	49.1	58.4	43.9	52.1	39.7	47.1	36.2	43.0	-	Volvo

0-280-150-802	27.0	283.8	43.5	3.00	51.4	61.1	46.0	54.6	41.5	49.3	37.9	45.0	-	Volvo, Peugeot
0-280-150-803	36.5	383.6	-	-	69.5	82.6	62.1	73.8	56.2	66.7	51.2	60.8	Low	-
0-280-150-804	32.05	336.8	43.5	3.00	61.0	72.5	54.6	64.8	49.3	58.6	45.0	53.4	-	Volvo, Peugeot
0-280-150-808	32.0	336.3	55	3.79	61.0	72.4	54.5	64.7	49.2	58.5	44.9	53.3	Low	Mazda, Chrysler 2.2 l Turbo
0-280-150-811	28.35	298.0	50.8	3.50	54.0	64.1	48.3	57.3	43.6	51.8	39.8	47.3	-	Porsche 944
0-280-150-814	36.5	383.6	43.5	3.00	69.5	82.6	62.1	73.8	56.2	66.7	51.2	60.8	-	-
0-280-150-834	37.8	397.3	43.5	3.00	72.0	85.5	64.3	76.4	58.2	69.1	53.1	63.0	-	Chrysler
0-280-150-835	37.8	397.3	43.5	3.00	72.0	85.5	64.3	76.4	58.2	69.1	53.1	63.0	-	Chrysler
0-280-150-901	18.8	197.6	43.5	3.00	35.8	42.5	32.0	38.0	28.9	34.3	26.4	31.3	High	GM 3.8 l V6, 5.0 l V8
0-280-150-911	30.0	315.3	39.15	2.70	57.1	67.9	51.1	60.6	46.2	54.8	42.1	50.0	High	Ford 3.8 l Supercharged
0-280-150-912	31.0	325.8	43.5	3.00	59.0	70.1	52.8	62.7	47.7	56.6	43.5	51.7	High	Ford 3.8 l Supercharged
0-280-150-913	24.35	255.9	39.15	2.70	46.4	55.1	41.4	49.2	37.5	44.5	34.2	40.6	-	-
0-280-150-945	28.55	300.1	-	-	54.4	64.6	48.6	57.7	43.9	52.2	40.1	47.6	-	Ford
0-280-150-947	24.35	255.9	39.15	2.70	46.4	55.1	41.4	49.2	37.5	44.5	34.2	40.6	-	Ford 5.0 l, Truck 7.5 l
0-280-150-951	32.9	345.8	43.5	3.00	62.7	74.4	56.0	66.5	50.6	60.1	46.2	54.8	-	Audi, Porsche
0-280-150-967	36.0	378.4	43.5	3.00	68.6	81.4	61.3	72.8	55.4	65.8	50.5	60.0	-	Ford 3.8 l Supercharged

0-280-155-009	32.95	346.3	39.15	2.70	62.8	74.5	56.1	66.6	50.7	60.2	46.2	54.9	-	Saab Turbo
R-280-410-144	41.3	434.1	-	-	78.7	93.4	70.3	83.5	63.5	75.5	58.0	68.8	-	-
R-280-411-911	80.0	840.8	43.5	3.00	152	181	136	161	123	146	112	133	-	-
R-280-412-911	77.2	811.4	36.25	2.50	147	174	131	156	118	141	108	128	-	-